



2023


QUICK Catalog



PRODUCTS

LAN (UTP) System, SOLAR Cabling, FIRE ALARM & CONTROL, COAXIAL (RG) System,
TELEPHONE System, FIBER OPTIC System, FTTx / PON System,
GERMANY RACK, LINK RACK, NETWORKING


CAT 5E UTP Cable



[305 M. / Pull Box*, 100 M / Color Box*]

P/N : US-9015LSZH (White)
CAT 5E UTP Enhanced CABLE, LSZH


CAT 5E F/UTP Cable



[305 M. / Reelex*]

P/N : US-9035 (White)
CAT 5E F/UTP Enhanced CABLE


CAT 5E UTP OUTDOOR Cable



[305 M. / Reelex*]

P/N : 9045 (Black)
CAT 5E UTP, PE OUTDOOR
(Double Jacket)

CAT 5E UTP OUTDOOR, Drop Wire



[305 M. / Reel in Bx*]

P/N : US-9015M (Black)
CAT 5E UTP, PE OUTDOOR w/Drop Wire
(Single Jacket)

CAT 5E RJ45 PLUG



(A) **P/N : US-1001** (Transparent)
CAT 5E RJ45 PLUG, HP
(B) **P/N : US-6514** (Blue)
CAT 5E Locking Plug Boot

CAT 5E RJ45 JACK



(A) **P/N : US-1005SC1** (White)
CAT 5E RJ45 JACK, Slim
(B) **P/N : US-1005STF** (Blue)
CAT 5E RJ45 JACK, Tool Free

CAT 5E PATCH PANEL



P/N : US-3024
CAT 5E PATCH PANEL 24 PORT (1U)
w/Cable Support

CAT 5E PATCH CORD



[1, 2, 3, 5, 10, 15, 20 Meter]

P/N : US-5003LZ - 4 (Blue) = 1 M.
P/N : US-5006LZ - 4 (Blue) = 2 M.
P/N : US-5010LZ - 4 (Blue) = 3 M.
CAT 5E RJ45-RJ45 PATCH CORD LSZH

Shiny White FACE PLATE



P/N : US-2311/12/13/14/16
SHINY FACE PLATE, 1, 2, 3, 4, 6 Ports, (White)

FACE PLATE with Icon & ID Label



P/N : US-2001AWH, US-2002AWH
FACE PLATE 1, 2 PORT with ICON & LABEL ID,
(White)

FACE PLATE with Shutter, Icon & ID Label




P/N : US-2121A, US-2122A
FACE PLATE 1, 2 PORT with SHUTTER, ICON & ID LABEL, (White)

WALL BOX



(A) **P/N : US-2015WH**
WALL BOX 2" x 4", White (38 mm.)
(B) **P/N : US-2016**
WALL BOX 2" x 4", White (47 mm.)

Face Plate CHANGERS



(A) **P/N : US-2005**
CHANGER For Full Color Panasonic Face Plate
(B) **P/N : US-2006**
CHANGER For Wide Series Panasonic Face Plate
(C) **P/N : US-2107**
CHANGER For Magic Bticino Face Plate
(D) **P/N : US-2108**
CHANGER For Matix Bticino Face Plate
(E) **P/N : US-2109**
New Clipsal Face Plate

FAST JACK & PLUG TOOL



P/N : US-8061
Fast Jack and Plug Terminate Tool
(Two in one)

IMPACT TOOL



P/N : TL-3116
IMPACT TOOL with Blade

UTP CABLE TESTER




P/N : TX-1302
UTP Cable Tester
(New Blue)



LAN (UTP) System




CAT6 UTP (250MHz) Cable



[305 M. / Reelx[®]]

P/N : US-9106A (Blue)
CAT6 UTP w/Cross Filler, 24AWG


CAT6 UTP, LSZH, 23AWG



[305 M. / Reelx[®], 100 M / Reelx[®]]

(A) P/N : US-9106BLSZH (Blue)
(B) P/N : US-9106LSZH (White)
CAT6 UTP (250 MHz)
w/Cross Filler, 23AWG, LSZH


CAT6 UTP ULTRA (600MHz)



[305 M. / Pull Bx[®]]

P/N : US-9116LSZH (White)
CAT6 UTP ULTRA (600 MHz)
w/Cross Filler, 23AWG, LSZH

CAT6 F/UTP Cable



[305 M. / Roll[®]]

P/N : US-9136LSZH (White)
CAT6 F/UTP ULTRA SHIELD
w/Cross Filler, 23AWG, LSZH


CAT6 UTP OUTDOOR Cable



[305 M. / Pull Bx[®]]

P/N : US-9106OUT (Black)
CAT6 UTP PE OUTDOOR
w/Filler, 23AWG (Double Jacket)

CAT6 UTP OUTDOOR DROPWIRE



[305 M. / Roll in Bx[®]]

P/N : US-9106MD (Black)
CAT6 UTP PE OUTDOOR
w/Drop Wire (Double Jacket)

CAT6 UTP OUTDOOR w/Power



[305 M, 100 M / Reel in Bx[®]]

P/N : US-9106PW (Black)
CAT6 UTP PE OUTDOOR
w/Power Wire Cable


CAT6 UTP OUTDOOR w/Drop wire & Power



[305 M, 100 M / Reel in Bx[®]]

P/N : US-9106MW (Black)
CAT6 UTP PE OUTDOOR
w/Drop Wire + Power Wire

CAT6 RJ45 PLUG w/bar



B

X = 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow), 6 (Black)

(A) P/N : US-1002
CAT6 RJ45 PLUG Transparent
2 layer with pre-insert bar
(B) P/N : US-1062-X
CAT6 RJ45 PLUG 2 layer
with pre-insert bar, Crystal

CAT6 Locking Plug Boot



X = 0 (Transparent), 1 (White), 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow)

P/N : US-662X
CAT6 Locking Plug BOOT

CAT6 RJ45 JACK, Slim White



P/N : US-1006A
CAT6 RJ45 Slim White JACK
[5 Color Changeable]

CAT6 PATCH PANEL



B

(A) P/N : US-3124A
CAT6+ PATCH PANEL 24 PORT (1U)
w/management, Dust Cover, Labeling
(B) P/N : US-3148A
CAT6+ PATCH PANEL 48 PORT (2U)
w/management, Dust Cover, Labeling

CAT6 PATCH CORD



[1, 2, 3, 5, 10, 15, 20, 25, 30 Meter]

P/N : US-5101LZ-x (1 M.)
P/N : US-5102LZ-x (2 M.)
P/N : US-5103LZ-x (3 M.)
P/N : US-5105LZ-x (5 M.)
CAT6 RJ45 - RJ45 Patch Cord LSZH
X = 1 (White), 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow)

CAT6 COUPLER



P/N : US-4006IL
CAT6 RJ45 COUPLER
[In-Line or Patch Panel Insert]

CAT6 RJ45 CRIMP TOOL




P/N : TL-1103R
RJ45, RJ11, HS PLUG CRIMPTOOL

CAT6 TERMINATE TOOL



P/N : TL-2106
FAST JACK TERMINATE
TOOL for CAT6 JACK
[US-1006A, Color Changeable]


CAT6A ≡ SHIELD F/UTP (650 MHz)



[305 M. / Roll*, 100 M / Easy Box*]

P/N : US-9266LSZH (Aqua Blue)
CAT6A F/UTP SUPER XG (650 MHZ), LSZH


CAT6A ≡ SHIELD U/FTP (500 MHz)



[305 M. / Roll*]

P/N : US-9256LSZH (Aqua Blue)
CAT6A U/FTP XG (500 MHZ), LSZH


CAT6A ≡ SHIELD F/FTP (500 MHz)



[305 M. / Roll*]

P/N : US-9267LSZH (Aqua Blue)
CAT6A F/FTP XG (500 MHZ), LSZH


CAT6A ≡ UTP SUPER XG (750 MHz)



[305 M. / Roll*]

P/N : US-9146LSZH (Aqua Blue)
CAT6A UTP SUPER XG (750 MHZ), LSZH

CAT6A ≡ UTP XG (500 MHz)



[305 M. / Roll*]

P/N : US-9146ALSZH (Aqua Blue)
CAT6A UTP XG (500 MHZ), LSZH

Shield RJ45 CAT6A ≡ PLUG



[Use TL-1106A Crimp Tool only]

P/N : US-1070S (w/Clear Boot)
Shield CAT6A RJ45 PLUG w/Plug Boot

Shield RJ45 CAT6A ≡ PLUG



[Field Terminate w/o Tool]

P/N : US-1071S
Shield CAT6A RJ45 PLUG, TOOL FREE

Shield CAT6A ≡ Auto Shutter JACK



[Field Terminate w/o Tool]

P/N : 1034TFAS
Shield CAT6A RJ45 PLUG, TOOL FREE, Auto Shutter

Shield CAT6A ≡ PATCH PANEL



P/N : 3324S (Panel + Jack Staggered)
Shield CAT6A 24 Port, Auto Shutter w/Cable Management (Staggered)

Shield CAT6A ≡ ANGLE PATCH PANEL



P/N : US-3324TFAS
Shield ANGLE CAT6A 24 Port, Auto Shutter w/Cable Management (Staggered)

Shield CAT6A ≡ COUPLER



P/N : US-4007SIL
Shield CAT 6A In-Line COUPLER, (Usable for Patch Panel)

Shield CAT6A ≡ FACE PLATE



P/N : US-2342A
ANGLE FACE PLATE 2 PORT w/label

CAT6A ≡ RJ45 UTP JACK



P/N : US-1022TFAS
CAT6A RJ45 Modular JACK Super Slim, Tool Free, Auto Shutter

CAT6A ≡ UTP PATCH PANEL 24 Port



P/N : US-3224A
CAT6A PATCH PANEL 24 Port, Auto Shutter w/Cable Management (Staggered)

CAT6A ≡ PATCH CORD



(1, 2, 3, 5, 10, 15, 20, 25 Meter)

P/N : US-5201SLZ - 9 (Aqua Blue)
P/N : US-5201SLZ - 1 (White)
Shield CAT6A RJ45-RJ45 PATCH CORD, XG, LSZH

CRIMP TOOL



[CAT6A PLUG Only]


P/N : TL-1106A
Shield RJ 45 CAT 6A PLUG CRIMP TOOL



SOLAR System




SOLAR CABLE 2.5 mm²



[1,000 M. / Roll*]

- (A) P/N : CB-1025AB : PV Solar 2.5 mm², Black
- (B) P/N : CB-1025AR : PV Solar 2.5 mm², Red


SOLAR CABLE 4 mm²



[1,000 M. / Roll*, 500 M. / Roll*, 100 M. / Easy Box*]

- (A) P/N : CB-1040AB : PV Solar 4 mm², Black
- (B) P/N : CB-1040AR : PV Solar 4 mm², Red


SOLAR CABLE 6 mm²



[1,000 M. / Roll*, 500 M. / Roll*, 100 M. / Easy Box*]

- (A) P/N : CB-1060AB : PV Solar 6 mm², Black
- (B) P/N : CB-1060AR : PV Solar 6 mm², Red

SOLAR CABLE 10 mm²



[1,000 M. / Roll*]

- (A) P/N : CB-1100AB : PV Solar 10 mm², Black
- (B) P/N : CB-1100AR : PV Solar 10 mm², Red

SOLAR PATCH CORD ASSEMBLY 4 mm²



- (A) P/N : CB-5054B-05 : PATCH CORD 4 mm², Black 5 M.
- (B) P/N : CB-5054R-05 : PATCH CORD 4 mm², Red 5 M.

- P/N : CB-5054B-10 : PATCH CORD 4 mm², Black 10 M.
- P/N : CB-5054R-10 : PATCH CORD 4 mm², Red 10 M.

SOLAR PATCH CORD PER REQUEST



- (A) P/N : CB-5054B-xx : BLACK 4 mm², Length xx per Request
- (B) P/N : CB-5054R-xx : RED 4 mm², Length xx per Request

- P/N : CB-5056B-xx : BLACK 6 mm², Length xx per Request
- P/N : CB-5056R-xx : RED 6 mm², Length xx per Request

MC4 Solar CONNECTOR



- (A) P/N : CB-1002A : MC4 CONNECTOR 2.5 – 6 mm² (Pair)
- (B) P/N : CB-1006A : MC4 PANEL CONNECTOR 2.5 – 6 mm² (Pair)


TOOL for SOLAR CONNECTOR



- (A) P/N : CB-1084 : MC4 CRIMPING TOOL
- (B) P/N : CB-1086 : MC4 SPANNER (Pair)

FIRE ALARM & CONTROL System

FIRE ALARM CABLE



- (A) P/N : CB-0118 (2 x 18 AWG, 1 Pair)
- (B) P/N : CB-0218 (2 x 18 AWG, 1 Pair, FPL), Shield
- (C) P/N : CB-0216 (2 x 16 AWG, 1 Pair, FPL), Shield
- (D) P/N : CB-0214 P (2 x 14 AWG, 1 Pair, Outdoor)

FIRE RESISTANT CABLE




- P/N : CB-0021 (Unshield 2 x 1.5 mm², 1 Pair)
- P/N : CB-0025 (Unshield 2 x 2.5 mm², 1 Pair)

BAS CONTROL CABLE



- (A) P/N : CB-0318A (Shield 2 x 18 AWG, 1 Pair)
- (B) P/N : CB-0316A (Shield 2 x 16 AWG, 1 Pair)
- (C) P/N : CB-0422A (Shield 4 x 22 AWG, 2 Pair)
- (D) P/N : CB-0418A (Shield 4 x 18 AWG, 2 Pair)

BAS CONTROL OUTDOOR



- (A) P/N : CB-0318AP (Shield 2 x 18 AWG, 1 Pair)
- (B) P/N : CB-0418AP (Shield 4 x 18 AWG, 2 Pair)

SPEAKER CABLE



[100 M. / Spool]

- P/N : CB-0516W (Better than VTF 1.5 mm²) SPEAKER 2C, 16 AWG, 65 - Strand, White

SPEAKER CABLE



[100 M. / Spool]

- P/N : CB-0514W (Better than VTF 2.5 mm²) SPEAKER 2C, 14 AWG, 105 - Strand, White

MULTICORE CONTROL CABLE



- P/N : CB-0244A (UL-2464) Multi - Core 4 Core, Double Shield 24 AWG
- P/N : CB-0248A (UL-2464) Multi - Core 8 Core, Double Shield 24 AWG

MULTI-PAIR CONTROL CABLE



- P/N : CB-0251A (UL-2919) Multi - Pair 2 Pair, Single Shield, 24 AWG
- P/N : CB-0253A (UL-2919) Multi - Pair 4 Pair, Single Shield, 24 AWG

RG6 COAXIAL INDOOR



- (A) **P/N : CB-0106A** (Indoor, Black)
RG 6/U Cable, 95% Shield, Black Jacket
- (B) **P/N : CB-0106A-WH** (Indoor, White)
RG 6/U Cable, 95% Shield, White Jacket

RG6 INDOOR w/POWER WIRE



- P/N : CB-0106AWA** (w/Power)
RG 6/U, 95% Shield, Black w/CCA Power Wire

RG6 COAXIAL OUTDOOR



- P/N : CB-0106AP** (Outdoor)
RG 6/U Cable, 95% Shield, Black PE Jacket

RG6 OUTDOOR w/MESSENGER



- P/N : CB-0106AM** (w/Messenger)
RG 6/U 95% Shield, Black PE w/Messenger
[500 M. / Roll]

RG6 OUTDOOR w/POWER WIRE



- P/N : CB-0106APWA** (w/Power)
RG 6/U 95% Shield, Black PE w/CCA Power Wire

RG6 OUTDOOR w/MESSENGER + POWER



- P/N : CB-0106AMWA** (Messenger+Power)
RG 6/U 95% Shield, Black w/Messenger & CCA Power

RG11 MAIN INDOOR




- P/N : CB-0111A** (White)
RG 11/U , 90% Shield, Indoor, White Jacket

RG11 MAIN OUTDOOR



- P/N : CB-0111AP** (Black)
RG 11/U , 90% Shield, Outdoor, Black Jacket

RG FLEXIBLE COAXIAL




- (A) **P/N : CB-0106F** (Patch Cord)
Flex Stranded 75 ohm, White
- (B) **P/N : CB-0104F** (Elevator)
Flex Stranded 75 ohm, Black

MINI PANEL for COAXIAL




- P/N : US-2510A** (W 26 x D 6.0 x H 6.5 Cm.)
10 Port Mini PANEL w/Support Box

MODULAR RJ45 INSERT




- (A) **P/N : US-2204** (BNC)
- (B) **P/N : US-2209** (F-Type)
- (C) **P/N : US-2207A** (TV Socket)
- (D) **P/N : US-2201** (Blank)

BNC PLUG RG6 CONNECTOR




- (A) **P/N : UC-0026** (Crimp Type), RG 6
- (B) **P/N : UC-0046** (Compression Water Proof), RG 6
- (C) **P/N : UC-0036** (Female Crimp) BNC JACK, RG 6

F-TYPE MALE RG6 CONNECTOR



- (A) **P/N : UC-0062** (Twist Type)
- (B) **P/N : UC-0064** (Crimp Type)
- (C) **P/N : UC-0066** (Compression Water Proof) F-Type, Male Connector

BNC, TV, F-TYPE CABLE ASSEMBLY



- (A) **P/N : UC-7130-xx** (BNC to BNC)
- (B) **P/N : UC-7120-xx** (F-Type to F-Type)
- (C) **P/N : UC-7150-xx** (TV to TV)
(xx = 01, 03, 05 Meter)
Cable Assembly

COAXIAL CRIMP TOOL



- (A) **P/N : UC-8116A** (RG 6)
Crimp Tool BNC & F-Type & PAL of RG 6
- (B) **P/N : UC-8118A** (RG 11)
Crimp Tool BNC of RG 11 and RG 58

COAXIAL STRIPPING & COMPRESSION



- (A) **P/N : UC-8145** (Stripping Tool)
- (B) **P/N : TC-2315** (Compression Tool)

TIEV TELEPHONE CABLE



[100 M. / Easy Box[™]]

- P/N : **UL-1022** (0.5 mm., 2C)
- P/N : **UL-1024** (0.5 mm., 4C)

- P/N : **UL-1032** (0.65 mm., 2C)
- P/N : **UL-1034** (0.65 mm., 4C)

FIG 8 UTP DROP WIRE CABLE



[200 M. / Roll[™]]

- P/N : **UL-1102** (0.50 mm., 1 Pair)
- P/N : **UL-1112** (0.65 mm., 1 Pair)

JUMPER WIRE & FLAT CABLE



[100 M. / Easy Box[™]]


- P/N : **UL-0002** (24 AWG)
Jumper Wire, White-Red 2C.
- P/N : **UL-0044** (28 AWG)
FLAT Telephone 4C Cable

TELEPHONE PATCH CORD




- P/N : **US-8951**, (RJ11-RJ11, 1 M.)
- P/N : **US-8952**, (RJ11-RJ11, 2 M.)
- P/N : **US-8953**, (RJ11-RJ11, 3 M.)

TELEPHONE PLUG & Hand Set



- (A) P/N : **UL-3011**, RJ11 Telephone Plug
- (B) P/N : **UL-3004**, Hand Set Plug

TELEPHONE RJ11 OUTLET



- P/N : **UL-3016**, (White)
RJ11 Telephone OUTLET, Tool Free

SHINY FACE PLATE



- (A) P/N : **US-2311**, (White)
FACE PLATE 1 PORT, SHINY
- (B) P/N : **US-2312**, (White)
FACE PLATE 2 PORT, SHINY

INDOOR PLASTIC BOX



- (A) P/N : **UL-7601**, 30 Pair TC Box, w/BMF
- (B) P/N : **UL-7602**, 50 Pair TC Box, w/BMF
- (C) P/N : **UL-7603**, 100 Pair TC Box, w/BMF

TELEPHONE TERMINAL MODULE




- (A) P/N : **UL-4311**, (10 Pair)
CONNECTION MODULE
- (B) P/N : **UL-4321**, (10 Pair)
DISCONNECTION MODULE

LABEL



- (A) P/N : **UL-4601**
Label Holder, Mount on Frame
- (B) P/N : **UL-4631**
Hinged Label, Mount on Module

MAGAZINE and ARRESTER




- (A) P/N : **UL-5110**
Telephone MAGAZINE 10 Pair, Empty
- (B) P/N : **UL-5317**
3 Pole ARRESTER with fail-safe
- (C) P/N : **UL-5411**
Telephone MAGAZINE 10 Pair, Load Arrester

INSERTION TOOL



- P/N : **UL-8802** (Connection & Cutting)
INSERTION TOOL with Sensor

CROSS-CONNECT STEEL



- (A) P/N : **UL-6103**, 30 Pair CABINET
- (B) P/N : **UL-6203**, 60 Pair CABINET
- (C) P/N : **UL-6206**, 120 Pair CABINET

STEEL CABINET, WALL MOUNT



- (A) P/N : **UL-6030**, Cabinet for 1 x 3 pos. BMF
- (B) P/N : **UL-6111**, Cabinet for 1 x 11 pos. BMF
- (C) P/N : **UL-6112**, Cabinet for 2 x 11 pos. BMF

BACK MOUNT FRAME (BMF)




- (A) P/N : **UL-8201**, BMF 1 Pos.
- (B) P/N : **UL-8203**, BMF 3 Pos.
- (C) P/N : **UL-8206**, BMF 6 Pos.
- (D) P/N : **UL-8211**, BMF 11 Pos.

OUTDOOR / INDOOR PLASTIC BOX



- (A) P/N : **UL-7703**, 30 Pair with BMF
- (B) P/N : **UL-7705**, 50 Pair with BMF
- (C) P/N : **UL-7710**, 100 Pair with BMF

INDOOR DISTRIBUTION



P/N : UFC 920xLSZH, OS 2, 9 /125 µm
 P/N : UFC 52xxLSZH, OM 2, 50 /125 µm
 P/N : UFC 42xx, OM 3, 50 /125 µm
 P/N : UFC 32xx, OM 4, 50 /125 µm

OUTDOOR / INDOOR, DUCT




P/N : UFC 93xx, OS 2, 9 /125 µm
 P/N : UFC 53xx, OM 2, 50 /125 µm
 P/N : UFC 43xx, OM 3, 50 /125 µm
 P/N : UFC 33xx, OM 4, 50 /125 µm

OUTDOOR / INDOOR, ARMORED



P/N : UFC 93xxA, OS 2, 9 /125 µm
 P/N : UFC 53xxA, OM 2, 50 /125 µm
 P/N : UFC 43xxA, OM 3, 50 /125 µm
 P/N : UFC 33xxA, OM 4, 50 /125 µm

SINGLE / 3-TWISTED, DROP-WIRE



(A) P/N : UFC 95xxDSA, OS 2 9/125 µm, SINGLE Tube
 P/N : UFC 55xxDSA, OM 2 50/125 µm, SINGLE Tube
 (B) P/N : UFC 95xxMDA, SM 9/125 µm, 3-TWISTD Tube

ARSS, ARMORED SELF SUPPORT



P/N : UFC 97xxA, SM 9/125 µm, MINI ARSS

ARSS, ARMORED SELF SUPPORT



P/N : UFC 97xxMA, SM 9/125 µm, MULTI-TUBE

ADSS, ALL DIELECTRIC SELF SUPPORT



P/N : UFC97xxMN : SM 9/125 µm, MINI ADSS

ADSS, ALL DIELECTRIC SELF SUPPORT



P/N : UFC97xxCM : SM 9/125 µm, MULTI TUBE

6-36F FDU SLIDE Deep 25 cm.



(A) P/N : UF-2010A : 6-24F (2 Snap-In) Rack mount SLIDE, D 25 Cm.
 (B) P/N : UF-2011A : 6-36F (3 Snap-In) Rack mount SLIDE, D 25 Cm.

6-36F FDU DRAWER Deep 33.20 cm.




(A) P/N : UF-2012A : 6-24F (2 Snap-In) Rack mount DRAWER, 1U
 (B) P/N : UF-2013A : 6-36F (3 Snap-In) Rack mount DRAWER, 1U

6-48F FDU WALL MOUNT BOX




(A) P/N : UF-2022A : 6-24F (2 Snap-In) Wall Mount BOX
 (B) P/N : UF-2024A : 6-48F (4 Snap-In) Wall Mount BOX

FIBER OPTIC SNAP-IN ADAPTER PLATE




(A) UF-2166SM : 3SC Duplex Snap-In (SM & MM)
 UF-2266SM : 6SC Duplex Snap-In (SM & MM)
 (B) UF-2122SM : 3LC Duplex Snap-In (SM & MM)
 UF-2222SM : 6LC Duplex Snap-In (SM & MM)
 (C) UF-2200 : BLANK Snap-In Adapter Plate

SC & LC FIBER CONNECTOR




(A) P/N : UF-0005SM : SC Simplex, SM (Blue)
 P/N : UF-0006SM : SC Duplex, SM (Blue)
 (B) P/N : UF-0002D : LC Duplex, MM (Ivory)
 P/N : UF-0002DSM : LC Duplex, SM (Blue)

SC, LC, FC, FIBER PIGTAIL




(A) P/N : UFP960Sx1-1.5 : SC Pigtail SM/OS2, UPC, 1.50 M.
 P/N : UFP920Sx1-1.5 : LC Pigtail SM/OS2, UPC, 1.50 M.
 P/N : UFP980Sx1-1.5 : FC Pigtail SM/OS2, UPC, 1.50 M.
 (B) P/N : UFP960S22-1.5 : SC/APC Pigtail, SM/OS2 for FTTx

ST, FC, PATCH CORD



(A) P/N : UFP944D31-03 : ST-ST Patch Cord OS2, Duplex 3M., UPC
 (B) P/N : UFP948D31-03 : ST-FC Patch Cord OS2, Duplex 3M., UPC
 (C) P/N : UFP988D31-03 : FC-FC Patch Cord OS2, Duplex 3M., UPC
 P/N : UFP988D32-03 : FC-FC Patch Cord OS2, Duplex 3M., APC

SC, LC, PATCH CORD



(A) P/N : UFP966D31-03 : SC-SC Patch Cord OS2 Duplex
 (B) P/N : UFP962D31-03 : SC-LC Patch Cord OS2 Duplex
 (C) P/N : UFP922D31-03 : LC-LC Patch Cord OS2 Duplex
 (D) P/N : UFP562D31-03 : SC-LC Patch Cord OM2 Duplex
 (E) P/N : UFP522D31-03 : LC-LC Patch Cord OM2 Duplex
 (F) P/N : UFP462D31-03 : SC-LC Patch Cord OM3 Duplex



FIBER OPTIC System




FIBER OPTIC DOME CLOSURE



- (A) P/N : UF-3022A : 24 Core Dome Type Closure
- (B) P/N : SV-2252A-12 : Fusion Splice Protector Sleeve, OD. 2.5 mm.

FIBER OPTIC HORIZONTAL CLOSURE



- (A) P/N : UF-3041 : 12 Core Horizontal Type Closure
- (B) P/N : UF-3042A : 24 Core Horizontal Type Closure

FIBER OPTIC FUSION SPLICES



- P/N : UF-2841 : F.O MINI ADVANCE SPLICES SET

FIBER OPTIC FUSION SPLICES



- P/N : UF-2842A : F.O PROFESSIONAL SPLICES SET

FIBER OPTIC OTDR



- P/N : UF-2872 : F.O HANDHELD ODTR 100 Km. (1310/1550 nm)

FIBER OPTIC OTDR



- P/N : UF-2874 : F.O. PROFESSIONAL OTDR 100 Km. (1310/1550/1625 nm), Full Option

FIBER OPTIC POWER METER



- (A) P/N : UF-2891 : F.O ADVANCE POWER METER
- (B) P/N : UF-2893 : F.O LIGHT SOURCE 850/1300
- (C) P/N : UF-2894 : F.O LIGHT SOURCE 1310/1550


FIBER OPTIC VISUAL FAULT LOCATOR



- P/N : UF-2883 : VISUAL FAULT LOCATOR for ST, SC, FC 7 Km.

FTTx / PON System

FTTx FLAT CABLE




- (A) P/N : UFC932x : FLAT Distribution Cable
- (B) P/N : UFC951xM : FLAT Solid Drop Cable
- (C) P/N : UFC952x : FLAT Stranded Drop Cable

FTTx ROUND CABLE




- (A) P/N : UFH930xR : ROUND Distribution Cable
- (B) P/N : UFH950xR : ROUND Stranded Drop Cable
- (C) P/N : UFC950xRA : ROUND ARMORED, Solid Drop Cable

FTTx / PoN DISTRIBUTION PANEL



- (A) P/N : UF-4082A : FDU 12-24F Slide, Rack Mount
- (B) P/N : UF-4084A : FDU 24-48F Slide, Rack Mount

SC Duplex Snap-In



- (A) P/N : UF-2166SM/APC : 3SC Duplex Snap-In, SM/APC, 6F
- (B) P/N : UF-2266SM/APC : 6SC Duplex Snap-In, SM/APC, 12F

FTTx / PoN TERMINAL BOX & OUTLET



- (A) P/N : UFH3112 : 12-24F, FTTx, ENCLOSURE w/12SC/APC + Pigtail
- (B) P/N : UFH3002 : 4F, FTTx TERMINAL w/SA/APC

FTTx / PoN JUNCTION & OUTLET




- (A) P/N : UFH3001 : FTTx TERMINAL OUTDOOR / INDOOR JUNCTION BOX
- (B) P/N : UFH3022A : FTTx Shutter OUTLET w/2 x SC/APC

FIBER OPTIC FTTH



- P/N : UFH3020 : FTTH PROFESSIONAL TOOL w/Power Meter

FIBER AIR BLOW



- P/N : FBC4 - 9xxx, STRANDED xxx F, AIR BLOWN
- P/N : FBD3 - 1208 - xx, MICRO DUCT x X12, i.d 8 mm.
- P/N : FBD3 - 1410 - xx, MICRO DUCT x X14, i.d 10 mm.

19"GERMANY RACK, G3 Series



P/N : G3-XXXXX (Acrylic Door)
19"GERMAN CABINET RACK 15, 27, 36, 42, 45 U

19"GERMANY RACK, G4 Series




P/N : G4-XXXXX (Server Rack)
19"GERMAN SERVER RACK 15, 27, 42, 45 U

19"GERMANY RACK, G8 Series



P/N : G8-XXXXXB/DBB (Data Center Rack)
19"GERMAN DATA CENTER RACK 27, 42U

19"GERMANY WALL RACK, G1 Series



(A) **P/N : G1-60XXX** (3 Part)
19"GERMAN WALL RACK 6, 9, 12U (D = 40, 50, 60 cm.)
(B) **P/N : G1-60XXXF** (Front Perforate)
19"GERMAN WALL RACK 6, 9, 12U (D = 40, 50, 60 cm.)
(C) **P/N : G1-60XXXP** (Perforate Door)
19"GERMAN WALL RACK 6, 9, 12U (D = 40, 50, 60 cm.)

19"WALL RACK OUTDOOR, G2 Series



P/N : G2-60XXXOUT (Outdoor)
19"GERMAN WALL RACK OUTDOOR 6, 9, 12U

MINI STEEL BOX, G6 Series




P/N : G6-30030 / G6-30030B
19"GERMAN MINI BOX 30 cm. w/Shelf (Gray / Black)
P/N : G6-40040 / G6-40040B
19"GERMAN MINI BOX 40 cm. w/Shelf (Gray / Black)

19"GERMAN OPEN & TELECOM RACK




(A) **P/N : G0-600XX**
19"GERMAN OPEN RACK 27, 36, 42U
P/N : G0-619XX
(B) 19"GERMAN TELECOM RACK 27, 36, 42U

AC POWER DISTRIBUTION




(A) **P/N : G7-00004** (4 TIS Outlet)
(B) **P/N : G7-00006** (6 TIS Outlet)
(C) **P/N : G7-00008** (8 TIS Outlet)
(D) **P/N : G7-00012** (12 TIS Outlet)
(E) **P/N : G7-00020** (20 TIS Outlet)

COMPONENT SHELF



(A) **P/N : G7-01025**
Front Fix Shelf Deep 25 cm.
(B) **P/N : G7-02045 / G7-02065**
Fix Shelf for RACK 60 cm / 80 cm
(C) **P/N : G7-03045 / G7-03065**
Slide Shelf for RACK 60 cm / 80 cm

HEAVY DUTY FAN



(A) **P/N : G7-05001** (1 x Ø4")
(B) **P/N : G7-05002** (2 x Ø4")
(C) **P/N : G7-05003** (3 x Ø4")

19" LINK RACK & CCTV CABINET

19"LINK GLASS RACK



P/N : CH-XXXXXGS
19"LINK GLASS RACK 15, 27, 36, 42 U

19"LINK GLASS-WAVE RACK



P/N : CH-XXXXXGW
19"LINK GLASS-WAVE RACK 15, 27, 42 U

19"LINK CURVE-WAVE RACK



P/N : CH-XXXXXCW
19"LINK CURVE-WAVE RACK 15, 27, 42 U

19"LINK WALL RACK



(A) **P/N : CW1-60XXXG** (Glass 40 cm), 1 Part
P/N : CW2-60XXXG (Glass 50, 60 cm), 2 Part
(B) **P/N : CW1-60XXXW** (Wave 40 cm), 1 Part
P/N : CW2-60XXXW (Wave 50, 60 cm), 2 Part
(C) **P/N : CW1-60XXXC** (Curve 40 cm), 1 Part
P/N : CW2-60XXXC (Curve 50, 60 cm), 2 Part

19"LINK NETWORK RACK




(A) **P/N : CN-61142**
19" LINK NETWORK RACK 42U
(B) **P/N : CN-61150**
STEEL BASE
(C) **P/N : CN-61158**
Vertical Management for Network Rack 42U

CCTV OUTDOOR CABINET




(A) **P/N : UV-9002**
(H68 x W43 x D15.8 cm), IP 43
(B) **P/N : UV-9010S**
(H68 x W43 x D25 cm), IP 43
(C) **P/N : UV-9012H**
(H68 x W46.8 x D26.8 cm), IP 54
P/N : UV-9012H-SUS
(H68 x W46.8 x D26.8 cm), Stainless

PDU (POWER DISTRIBUTION UNIT)




(A) **P/N : CH-10304A** (4 TIS Outlet)
(B) **P/N : CH-10306A** (6 TIS Outlet)
(C) **P/N : CH-10312A** (12 TIS Outlet)
(D) **P/N : CH-10320A** (20 TIS Outlet)

COMPONENT SHELF



(A) **P/N : CK-12250 / CH-12350**
Front Mount Shell Deep 25 cm/35 cm
(B) **P/N : CK-20350 / CK-20550**
Fix Shelf for RACK 60 cm/80 cm
(C) **P/N : CK-40350 / CK-40550**
Slide Shelf for RACK 60 cm/80 cm

HEAVY DUTY FAN




(A) **P/N : CK- 80104** (1 x Ø4")
(B) **P/N : CK- 81204** (2 x Ø4")
(C) **P/N : CK- 81304** (3 x Ø4")

FAST F.O. MEDIA CONVERTER



- (A) P/N : UT-0216E (2 km.)
10/100 CONVERTER RJ45 to SC (mm)
- (B) P/N : UT-0216E-SM30 (30 km.)
10/100 CONVERTER RJ45 to SC (sm)

GIGABIT F.O. MEDIA CONVERTER




- (A) P/N : UT-1300A (Mini)
1000 Mbps MINI RJ45 to SFP Slot
- (B) P/N : UT-1310A (Enhance)
10/100/1000 ENHANCE RJ45 to SFP Slot
- (C) P/N : UT-1310HA (Hardened)
10/100/1000 HARDENED RJ45 to SFP Slot

GIGABIT NETWORK SWITCH



- (A) P/N : PG-2008A (8 GE)
- (B) P/N : PG-2126A (24 GE + 2 SFP)
- (C) P/N : PG-4010A (8 GE + 2 SFP ; Managed)
- (D) P/N : PG-4026A (24 GE + SFP ; Managed)

PoE GIGABIT SWITCH



- (A) P/N : PSG-3104A (4 PoE, AC60W)
- (B) P/N : PSG-3108A (8 PoE, AC140W)
- (C) P/N : PSG-3124A (24 PoE + 2 SFP, AC380W)

PoE L2 Managed GIGABIT



- (A) P/N : PSG-5008A (8 PoE + 2 SFP, AC125W)
8-Port L2 Managed GIGABIT PoE SWITCH
- (B) P/N : PSG-5124+ (24 PoE + 2 SFP, AC330W)
24-Port L2 Managed GIGABIT PoE SWITCH

PoE GIGABIT INDUSTRIAL SWITCH



- (A) P/N : PS-1010 (1 PoE + 1 SFP, AC90W)
- (B) P/N : PS-1020 (2 PoE + 1 SFP, AC90W)
- (C) P/N : PS-1040T (4 PoE + 1 RJ + 1SFP, AC90W)
- (D) P/N : PS-1080 (4 PoE + 2 SFP, AC90W)

PoE LITE MANAGED INDUSTRIAL




- (A) P/N : PS-3140 (4 PoE + 1RJ, 1 SFP)
4-Port Lite Managed GIGABIT, AC90W)
- (B) P/N : PS-3180/PS-3180S (8 PoE + 2 SFP)
8-Port Lite Managed GIGABIT, AC90W)

Wi-Fi ACCESS POINT



- (A) P/N : PA-3120A (Indoor AP w/PoE)
- (B) P/N : PA-3220 (Outdoor/Indoor AP w/PoE)
- (C) P/N : PA-3610 (Indoor Wi-Fi 6 AP)

1.25G SFP TRANSCEIVER MODULE




- (A) P/N : UT-9125D-00 (MM, 550 m. for ALL)
P/N : UT-9125DHP-00 (MM, 550 m. for HP/Aruba)
- (B) P/N : UT-9125D-10 (SM, 10 Km. for ALL)
P/N : UT-9125DHP-10 (SM, 10 Km. for HP/Aruba)
- (C) P/N : UT-9125D-40 (SM, 40 Km. for ALL)
P/N : UT-9125DHP-40 (SM, 40 Km. for HP/Aruba)

1.25G SFP BI-DI SINGLE FIBER



- (A) P/N : UT-9113WD-20 (Tx 1310 / Rx 1550, 20 Km)
- (B) P/N : UT-9114WD-20 (Tx 1550 / Rx 1310, 20 Km)

1.25G SFP COPPER TRANSCEIVER



- (A) P/N : UT-9125T (RJ45, 10/100/1000)
SFP1.25G Transceiver 10/100/1000 Base T
- (B) P/N : UT-9125TSD (RJ45, 1000)
SFP1.25G Transceiver 1000 Base T

10G SFP+ TRANSCEIVER MODULE



- (A) P/N : UT-9310A-00 (MM, 300 m. for ALL)
- (B) P/N : UT-9310A-10 (SM, 10 Km. for ALL)
- (C) P/N : UT-9310HP-00 (MM, 300 m. for HP/Aruba)
- (D) P/N : UT-9310HP-10 (SM, 10 Km. for HP/Aruba)

R8-422/485 IRF MEDIA CONVERTER



- P/N : UT-4206 (2 km)
RS-422/485 to F.O SC (MM) CONVERTER
- P/N : UT-4206 SM-30 (30 km)
RS-422/485 to F.O SC (SM) CONVERTER

EoC (Ethernet over COAXIAL)



- P/N : PS-0122SET (PS-0120T + PS-0121R)
1-Port FAST EoC w/PoE Converter w/Adapter

PoE INJECTOR and SEPARATOR



- (A) P/N : PS-8613
Gigabit PoE 30W Injector
- (B) P/N : PS-8721BLK
PoE Cable Separator 9-24V

PoE SURGE PROTECTOR



- (A) P/N : UT-8006 (Protector level 0)
- (B) P/N : UT-8010* (Protector level 1)
- (C) P/N : UT-8022 (Protector level 2)
- (D) P/N : UT-8088 (Protector level 3)



Distributed by

